

MMD, KOLKATA

SL.NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
1	78185	124520	13EL0483	ABHINANDHAN THAPA	IMI	Y	3	NA	FAIL	FAIL	PP
2	52341	114832	06EL2398	ANBALAGAN JAISANTOSH MANIKANDAN	VELS	Y	2	FAIL	NA	NA	NA
3	79393	125270	11EL3512	AVINASH KUMAR	IMI	Y	5	PP	PASS	PP	PP
4	79358	125263	11EL3513	AAYUSH NAUTIYAL	IMI	Y	6	PASS	NA	PP	NA
5	78881	129880	14EL1018	AAYUSH PRASAD	IMI	YES	NIL	NA	FAIL	FAIL	NA
6	63660	120384	11EL1462	ABHILASH PANDA	C.V.R.C.E	Y	9	PASS	PP	FAIL	PP
7	78858	129677	13EL0796	ABHINAV GOVIND	ANGLO EASTERN	YES	NIL	FAIL	FAIL	PASS	FAIL
8	78233	125415	13EL0509	ABHINEET VIJ	MERI	Y	4	PP	PASS	PP	NA
9	78330	125417	13EL0523	ABHISHEK RANJAN	MERI	Y	3	PP	FAIL	PP	PP
10	78327	125455	13EL0501	ABHISHEK DUBEY	MERI	Y	3	PASS	PP	PP	NA
11	78413	129623	13EL1120	ABHISHEK KUMAR	CMC	Y	2	FAIL***	NA	FAIL***	NA
12	77803	121396	12EL0859	ABHISHEK KUMAR SAHA	CVRCE	Y	3	NA	PP	PP	FAIL
13	70879	132458	10EL3588	ABHISHEK MUKHERJEE	TMI	Y	4	PP	PASS	PP	NA
14	73498	121469	11EL2138	ABHISHEK RAM	DBRAIT	Y	7	FAIL	NA	PP	FAIL
15	79357	125267	12EL0819	ABHISHEK RAUTELA	MERI	Y	5	FAIL	NA	PP	PASS
16	78464	125476	12EL0820	ADARSH VERMA	MERI	Y	3	FAIL	NA	FAIL	NA
17	78328	125429	13EL0546	AJAY KUMAR CHAUDHARY	MERI	Y	3	NA	PASS	PP	PP
18	78039	121489	13EL0283	AJAY KUMAR MINJ	ORSE	Y	3	NA	FAIL	PP	FAIL
19	78208	125402	13EL0547	AJAY SINGH SANKHLA	MERI	Y	3	PP	PP	PP	FAIL
20	78308	125414	13EL0504	AJAY TIWARI	MERI	Y	3	PP	PP	PP	PASS

४ वर मुख्य सवेक्षक (परीक्षा)
3v. CHIEF SURVEYOR (EXAMINER)
 DY. CHIEF SURVEYOR

कॉलकाता
 Kolkata

EXAMINER OF ENGINEERS
 DATE 14 SEP 2016

इंजीनियरिंग के मुख्य परीक्षक
Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL.NO	Applicatio n No.	EXM-45 No.	e-Pariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
21	78478	125498	13EL0548	AJEET SHARMA	MERI	Y	2	PP	FAIL	PP	PASS
22	78102	124800	11EL1583	AJITABH	NITMS	Y	2	FAIL	NA	FAIL	PP
23	78312	125500	12EL1787	AJOY SAHA	SEACOM	Y	2	PP	NA	PP	FAIL
24	78421	121455	09EL5315	AKASH DUTTA	NMA	Y	1	PP	NA	PASS	NA
25	78787	125081	12EL0831	AKHILESH KUMAR GAUTAM	MERI	Y	4	FAIL	NA	PP	NA
26	78870	129697	12EL1549	ALOK KUMAR	SEACOM	YES	NIL	NA	FAIL	FAIL	NA
27	78213	125437	13EL0552	AMAN KUMAR	MERI	Y	4	PP	FAIL	PP	PP
28	78329	125453	13EL0551	AMAN NARAYAN	MERI	Y	3	FAIL	PP	PASS	NA
29	78242	125410	13EL2284	AMAN PARMAR	VMI	Y	4	PASS	PP	NA	NA
30	78332	125375	14EL0409	AMANDEEP RAJAIN	METI	Y	4	PP	PP	PP	PASS
31	78261	125351	13EL0554	AMAR SINGH	MERI(KOL)	Y	5	PP	PASS	PP	PP
32	78963	125178	09EL3503	AMIT KUMAR	IMA	Y	7	NA	FAIL	PP	PP
33	78417	129654	13EL0574	AMIT RAWAT	MERI	Y	2	NA	PP	PP	PASS
34	78412	129636	11EL1266	ANANT KUMAR SINGH	RLINS	Y	2	PASS	NA	PP	NA
35	73412	119612	10EL3192	ANIBRATA BERA	SEACOM	Y	4	PP	PP	PP	FAIL
36	78252	125283	13EL0576	ANIL BHARDWAJ	IMU(KOL)	Y	3	PASS	PP	PP	PP
37	78250	125405	13EL0577	ANIL RAWAT	MERI	Y	3	NA	PP	PASS	FAIL
38	77406	124566	12EL1785	ANIMESH KUMAR	SEACOM	YES	NIL	FAIL	NA	FAIL	NA
39	78245	125412	13EL0734	ANISH KUMAR	GREAT EASTERN	Y	3	PP	NA	FAIL	NA
40	77142	124818	11EL2886	ANJUL	HINT	Y	2	FAIL	NA	FAIL	NA

अध्यक्ष मुख्य सर्वेक्षक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कॉलकाता
EXAMINER OF ENGINEERS
Kolkata DATE 14 SEP 2016

इंजीनियरिंग में मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL.NO	Applicatio n No.	EXN-45 No.	ePeriksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
41	78322	125397	13EL0588	ANKIT GOEL	MERI	Y	4	PP	PASS	PP	PP
42	78627	125045	12EL1145	ANKUR MISHRA	CVRCE	YES	NIL	PASS	NA	FAIL	NA
43	83911	120475	11EL2980	ANKUSH SHARMA	GRSE	YES	NIL	FAIL	NA	PASS	NA
44	78289	125478	10EL3427	ANMOL MODI	TMI	Y	3	NA	PP	PP	PASS
45	73385	119903	12EL1202	ANSHUL RANA	VELS	Y	10	FAIL	PP	FAIL	NA
46	73833	120048	10EL1794	ANUBHAB DUTTA MUDI	NITMS	YES	NIL	FAIL	NA	FAIL	NA
47	78041	121488	13EL0277	ANUP KUMAR	GRSE	Y	1	FAIL	NA	FAIL	NA
48	78663	125150	12EL1133	ANUPAM TIWARI	MERI	Y	8	PP	PP	PASS	FAIL
49	77707	124776	11EL3813	ANURAG ARUN KUMAR SHINDE	MERI	Y	4	PP	PASS	NA	PP
50	79380	125271	12EL0513	ANURAG UPADHYAY	ANGLO	Y	3	PASS	NA	NA	PP
51	77753	121401	10EL0215	ARIJIT DEY	IMA	Y	5	PP	PASS	NA	FAIL
52	73828	119804	09EL5088	ARINDAM DAS	TOLANI	Y	4	PP	PP	PASS	PP
53	78361	129653	13EL0598	ARJUN KUMAR SINGH	METI	Y	1	NA	PASS	PASS	NA
54	55362	1108/KOL/048	06EL1581/APR/1727	ARUL MANI NATESAN	SAMS	Y	13	NA	FAIL	NA	PP
55	70473	132206	12EL2598	ARUN CHAUHAN	IMI	Y	2	NA	FAIL	PASS	NA
56	84258	120447	09EL2745	ARUN KUMAR KAUSHIK	IMI	Y	11	FAIL	NA	PP	FAIL
57	77608	124724	11EL0684	ARUN VENKATRAMAN	AMET	Y	2	PASS	NA	FAIL	NA
58	78046	121494	13EL0282	ARVIND KUMAR	GRSE	Y	3	FAIL	NA	FAIL	PP
59	79322	125308	13EL0595	ARVIND KUMAR GUPTA	MERI(KOL)	Y	3	PP	PP	PP	PASS
60	73141	119528	11EL2763	ASEEM KUMAR SAHOO	CVRCE	Y	9	PP	PASS	PP	NA

उप मुख्य संचालक (परीक्षा)
DY. CHIEF SUPERVISOR (EXAM)
MMD, KOLKATA

कॉलकाता
Kolkata

EXAMINER OF ENGINEERS

DATE

14 SEP 2016

इंजीनियरों के मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

MMD,KOLKATA

SL NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
61	78040	121490	13EL0276	ASHOK RAMKRISHNAN	GRSE	Y	1	FAIL	FAIL	PP	PASS
62	74079	132846	14EL0134	ASHOK KUMAR CHAUCHAN	IMI	Y	2	NA	FAIL	PASS	NA
63	78335	125356	13EL1212	ASHUTOSH ANAND	MERI (KOL)	Y	4	PP	PASS	PP	PP
64	78468	129642	14EL0436	ASHUTOSH KUMAR	METI	Y	2	FAIL	NA	PP	NA
65	78467	125486	14EL0435	ASHUTOSH SINGH	METI	Y	3	PP	FAIL	PP	PASS
66	78388	129646	13EL1213	ASHUTOSH SOMANI	MERI	Y	2	PP	FAIL	PP	PASS
67	78225	125413	12EL1132	ASHWANI KUMAR	MERI	Y	4	FAIL	NA	NA	NA
68	79271	125346	13EL1214	ASHWINI TRIPATHY	IMU(KOL)	Y	3	PASS	PP	PP	PP
69	78395	129695	14EL1028	ASIM AHMAD	IMI	YES	NIL	NA	FAIL	PASS	NA
70	79294	125377	13EL1156	ATIF HAIDER	METI	Y	4	FAIL	NA	PP	FAIL
71	71614	129115	12EL0225	AURIJIT ROY	COCHIN SHIPYARD	Y	15	PP	FAIL	PP	PP
72	78386	129643	11EL1339	AVANISH UPADHYAY	RLINS	Y	2	FAIL	NA	PP	NA
73	78030	124509	11EL0850/JUN/1714	AVINASH MOHANTY	MERI	Y	10	PP	FAIL	PP	FAIL
74	77622	124763	13EL1665	AVINESH	GRSE	Y	4	FAIL	NA	PP	NA
75	73886	119616	10EL2898	AYAN MONDAL	SEACOM	Y	6	PP	PP	FAIL	PP
76	54396	118341	08EL2523	AYUSH PRAKASH UPADHYAYA	RLINS	Y	4	PP	FAIL	PP	PP
77	78678	129710	11EL3514	AYUSH SAXENA	IMI	YES	NIL	FAIL	NA	NA	PASS
78	77628	124762	13EL1657	AYYAPPANIWAS SOMASEKHARAN NAIR	GRSE	Y	1	FAIL	NA	PASS	NA
79	73886	119618	10EL3204	AZHAR TAHIR	SEACOM	Y	2	PP	PP	PASS	NA
80	78363	129648	12EL0848	BABBAN KUMAR SINGH	MERI	Y	2	PP	PP	PASS	PASS

उप मुख्य सहायक (परीक्षा)
Jy. CHIEF SURVEYOR (EXAMLS)
DY. CHIEF SURVEYOR

कलकत्ता
Kolkata

EXAMINER OF ENGINEERS

DATE 14 SEP 2016

इंजीनियरों के मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

SLNO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE-INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
81	77802	121395	12EL0654	BADRINATH PANDA	CVRCE	Y	3	NA	FAIL	NA	FAIL
82	78486	125489	14EL0439	BALWANT VERMA	METI	Y	3	FAIL	NA	FAIL	NA
83	78816	129675	14EL1024	BALWINDER SINGH	IMI	YES	NIL	NA	FAIL	PASS	NA
84	78211	125430	13EL0701	BANTY KUMAR	MERI	Y	4	PP	PP	PP	PASS
85	78845	129676	14EL1017	BARINDERPAL SINGH	IMI	YES	NIL	NA	FAIL	FAIL	NA
86	80118	116803	10EL0224	BHAGRUTHEEN YUSOOF	IMA	Y	5	PASS	PP	PP	PP
87	78680	125131	12EL1151	BHAJANLAL JENA	CVRCE	YES	NIL	NA	FAIL	FAIL	NA
88	62453	132243	12EL0539	BHARAT SHARMA	GREAT EASTERN	Y	1	NA	NA	FAIL	NA
89	73186	119532	11EL4423	BHARAT SINGH	MMC	Y	2	FAIL	NA	FAIL	NA
90	80283	116371	10EL3116	BHARGAV CHOUDHURY	NOORUL UNIVERSITY	YES	NIL	FAIL	NA	FAIL	NA
91	78815	129678	14EL1016	BHUPINDER SINGH	IMI	YES	NIL	NA	FAIL	FAIL	NA
92	77404	124547	11EL1559	BICTOR GHOSH	NITMS	Y	2	NA	FAIL	NA	PASS
93	73422	119930	11EL2772	BIPLAB PADHIARY	CVRCE	Y	4	FAIL	NA	PASS	PP
94	78293	125420	13EL1218	BIPUL KUMAR	MERI	Y	3	PP	NA	PP	PASS
95	78396	129659	07EL2184	BIRENDRANATH GANGANATH MISHRA	MANET	Y	1	NA	FAIL	PASS	NA
96	78289	129601	14EL0498	BIST SIDDHARTH	GEIMS	Y	3	PP	PP	PP	PASS
97	79238	124820	12EL0653	BISWAJIT NAYAK	CVRCE	Y	2	FAIL	NA	FAIL	NA
98	56034	120242	10EL1270	BIVAS PARAMANYA	GRSE	YES	NIL	FAIL	NA	FAIL	NA
99	78657	125133	12EL2599	BRIJESH VERMA	IMI	Y	9	PP	PP	PP	PASS
100	77801	121394	12EL0652	BUGUTA HAMSUNDER RAO	CVRCE	Y	6	FAIL	NA	PP	PP

डीप मुख्य सर्वेक्षक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कोलकाता
Kolkata

S. Sanyal
EXAMINER OF ENGINEERS
DATE 14 SEP 2016

इजीनियर्स के मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

SL NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
101	79312	125305	13EL1220	CHANDAN KUMAR	MER(KOL)	Y	4	PASS	PP	PP	PP
102	78481	129609	12EL0524	CHANDRA PRAKASH.D	GEIMS	Y	3	NA	FAIL	PP	NA
103	78873	129674	13EL0904	CHERUPARAMBLE JUNAID RAHMAN	ANGLO EASTERN	YES	NIL	FAIL	FAIL	FAIL	FAIL
104	78415	129624	11EL3516	CHIRANJEEV SINGH MULTANI	IMI	Y	2	NA	FAIL	FAIL	NA
105	78315	125450	13EL1221	CHIRANJEEVEE PANDEY	MERI	Y	3	NA	FAIL	PP	NA
106	73759	119877	11EL2131	DAGGUPAATI RANGANAYA KULU	DR.BR.AMBEDK AR	Y	2	NA	FAIL	PASS	NA
107	73751	119876	11EL2130	DAYALAN	DR.BR.AMBEDK AR	Y	3	PP	NA	PP	PASS
108	77458	124719	11EL0643	DEEPAK KUMAR	AMET	Y	4	NA	NA	PP	FAIL
109	79259	125358	13EL0609	DEEPAK MEENA	MERI	Y	5	PP	PASS	PP	PP
110	78842	129679	14EL1019	DEEPAK SHARMA	IMI	YES	NIL	NA	FAIL	FAIL	NA
111	79385	125286	12EL0862	DEEPANKAR KUMAR	MERI	Y	6	PP	PASS	PP	PP
112	78320	125399	10EL3611	DEEPANSHU UPADHYAY	TMI	Y	2	FAIL	PASS	PP	PP
113	78472	125477	12EL2601	DEEPENDRA SINGH BISHT	IMI	Y	3	PASS	NA	NA	PASS
114	78306	125330	13EL0606	DEVENDRA KUMAR	MERI	Y	4	PP	PASS	PP	PP
115	78384	129700	14EL1021	DEVESH KUMAR BIAS	IMI	YES	NIL	NA	FAIL	FAIL	NA
116	78615	125125	14EL0287	DHEERAJ KUMAR	IMS	YES	NIL	NA	PASS	FAIL	FAIL
117	77779	121435	12EL0862	DHRUV SINGH	CVRCE	Y	4	NA	PASS	PP	PP
118	73883	120059	10EL2901	DIBYENDU DHARA	SEACOM	Y	4	PASS	NA	PP	PP
119	78340	125357	14EL0130	DILPREET SINGH	IMI	Y	5	FAIL	NA	PP	FAIL
120	78290	125499	11EL2864	DIPAN SHAKTI.B	HMT	Y	3	NA	NA	FAIL	PP

उप मुख्य सर्वेक्षक (परीक्षा)
DR. CHIEF SURVEYOR (EXAMINER)
 DY. CHIEF SURVEYOR

कलकत्ता
 Kolkata

EXAMINER OF ENGINEERS

DATE: 14 SEP 2016

इंजीनियरों के मुख्य परीक्षक
Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
121	79012	119810	10EL1778	DIPANJAN GUHA	ITME	Y	8	PASS	FAIL	PP	PP
122	77725	124814	10EL1743	DIPANKAR BISWAS	NITMS	Y	2	PP	FAIL	PP	NA
123	78314	125451	13EL0630	DIPENDRA KUMAR	MERI	Y	3	FAIL	FAIL	NA	PP
124	78359	129834	12EL0872	DIPESH MUNDA	MERI	Y	2	FAIL	NA	NA	NA
125	79251	125342	13EL0632	DRASHAN KULSHRESHTHA	MERI(KOL)	Y	3	PP	PP	PP	PASS
126	77485	124584	12EL1561	DURGESH KUMAR	SEACOM	Y	3	NA	FAIL	PP	PASS
127	64808	120857	11EL2743	EJAZ FAQIH	CVRCE	Y	5	FAIL	NA	PP	PP
128	53912	115459	09EL4622	ELUMALAI LAKSHMANAN	SAMS	Y	2	FAIL	NA	FAIL	NA
129	78323	125454	13EL0634	FAROOQUE AZAM	MERI	Y	3	PP	PASS	PP	PP
130	77780	121354	12EL2803	FIROZ HUSSAIN	IMI	YES	NIL	FAIL	NA	NA	PASS
131	79308	125302	13EL0635	GAGANDEEP PANDEY	MERI(KOL)	Y	4	PP	PP	PP	PASS
132	78222	125442	09EL5095	GANGESH GUNJAN	TOLANI	Y	4	FAIL	NA	NA	FAIL
133	79282	125304	13EL0636	GAURAV KUMAR RAI	MERI(KOL)	Y	3	PP	PASS	PP	PP
134	78241	125396	13EL0637	GAURAV KUMAR RAVAT	MERI	Y	4	NA	PASS	FAIL	PP
135	78229	129607	11EL0721	GAURAV MANTRI	AMET	Y	2	FAIL	FAIL	FAIL	FAIL
136	79042	125234	12EL0527	GAURAV SHARMA	GEIMS	Y	5	PP	PP	PASS	NA
137	78296	125436	13EL0638	GAUTAM SAGAR	MERI	Y	3	NA	FAIL	PASS	PP
138	59902	120831	09EL4618	GOPALAKRISHNAN MUTHUKUTTY NARAYANAN	SAMS	Y	5	NA	PP	NA	FAIL
139	73488	124515	11EL2132	GOGULU RAVI KUMAR	DRBRAIT	Y	3	NA	FAIL	PASS	NA
140	77920	121459	12EL3084	GOURAV SIKDAR	IMS	Y	2	PP	PASS	PP	NA

उप मुख्य सर्वेक्षक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कोलकाता
Kolkata

S. S. Sanyal
EXAMINER OF ENGINEERS
DATE 14 SEP 2016

हजीनियरों के मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

SL NO	Applicatio n No.	EXN-45 No.	e-Pariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
141	74342	133116	14EL0040	GRATION MARK REBELLO	AMET	Y	3	NA	PASS	NA	FAIL
142	73495	121477	11EL1912	GUNASEKAR SEKAR	DRBRAIT	Y	2	PP	FAIL	PP	NA
143	77122	121398	12EL2605	HARENDER	IMI	Y	2	NA	FAIL	PASS	NA
144	78244	125400	11EL0681	HARI SINGH ARUN SINGH	AMET	Y	3	PP	PP	PP	PASS
145	78414	129817	10EL1458	HARSH KUMAR NAJOTRA	MANET	Y	2	FAIL	NA	FAIL	NA
146	79330	125291	13EL0840	HARSH RAJ	MER(KOL)	Y	4	PP	PASS	PP	PP
147	78217	125441	13EL0841	HARSHIT SINGH	MERI	Y	4	PP	PP	PASS	PP
148	79313	125317	13EL0704	HIMANSHU KUMAR	IMU(KOL)	Y	4	PP	NA	PP	PASS
149	79342	125290	13EL0705	HIMANSHU PHUL	IMU(KOL)	Y	3	PASS	PP	PP	PP
150	79291	125313	13EL0706	HIMANSHU SHARMA	MER(KOL)	Y	3	PP	PASS	PP	PP
151	78214	125401	13EL0707	HIMANSHU SINGH	MERI	Y	3	PP	PP	PP	PASS
152	77646	124757	13EL1679	IMTIAZ ALI	GRSE	Y	1	PP	PASS	NA	FAIL
153	79371	125344	13EL0657	JAY NARAYAN TIWARI	MERI	Y	4	PP	PASS	PP	PP
154	64787	120859	11EL2756	JAY SHANKAR KUMAR	CVRCE	Y	5	NA	NA	PP	FAIL
155	78903	129706	10EL2947	JHA ROSHAN KUMAR	IMA	YES	NIL	NA	FAIL	FAIL	NA
156	78857	129673	13EL0815	JOHN NISHANT	ANGLO EASTERN	YES	NIL	FAIL	FAIL	FAIL	FAIL
157	64790	120680	11EL2750	KALLOLA KUAMR PRUSTY	CVRCE	Y	2	PASS	NA	FAIL	NA
158	78304	125303	13EL0859	KAMAL SINGH	MERI	Y	4	PP	PASS	PP	PP
159	78346	125355	13EL0662	KANISHKA VISHAL	MERI	Y	3	PP	FAIL	PP	NA
160	73035	119592	12EL0717	KARRI SIVA	GRSE	Y	4	FAIL	NA	FAIL	NA

उप मुख्य सर्वेक्षक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कॉलकाता
Kolkata

EXAMINER OF ENGINEERS
DATE 14 SEP 2016

इंजीनियरी के मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL NO	Application No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
161	57858	121883	08EL0636	KARTHIKEYAN PANDIAN	SAMS	Y	2	FAIL	NA	FAIL	NA
162	70705	132485	10EL3247	KAUSHIK GHOSH	MANET	Y	5	NA	PASS	PP	PP
163	78255	125409	10EL3569	KAUSTAV MUKHERJEE	TOLANI	Y	3	PP	PP	PP	PASS
164	79053	125209	12EL2609	KETAN PRASAD	IMI	Y	7	PP	PASS	PP	NA
165	79336	125331	13EL0496	KISLAYA KUMAR	MERI(KOL)	Y	4	PASS	PP	PP	PP
166	79300	125319	14EL0508	KOLLU SIVA PRASAD	GREAT EASTERN	Y	4	NA	PP	NA	PASS
167	78252	125428	13EL0670	KRISHNA MURARI	MERI	Y	2	FAIL	PASS	NA	NA
168	59519	121264	10SL1265	KRISHNA SINGH PAL	GRSE	Y	3	FAIL	NA	PASS	NA
169	74294	133057	11EL3340	KULDEEP KUMAR SINHA	IMI	YES	NIL	FAIL	FAIL	NA	FAIL
170	79289	125348	13EL0556	KUMAR ABHISHEK	MERI	Y	4	PASS	NA	PP	NA
171	77777	121389	12EL0666	KUMAR SINDHU JAYVARDHAN	CVRCE	Y	8	PP	PASS	PP	PP
172	78338	125448	12EL0880	KUNAL KUMAR	MERI	Y	4	FAIL	FAIL	NA	NA
173	79260	125336	13EL0673	KUNDAN KUMAR	IMU(KOL)	Y	4	PASS	PP	PP	PP
174	78630	125036	12EL0891	KUNDAN KUMAR VERMA	MERI	Y	2	FAIL	NA	FAIL	NA
175	78343	125381	13EL0655	KUNKAL HUNNY SHAH	IMU	Y	3	NA	FAIL	NA	PP
176	77470	124581	12EL1544	LABANYA KHARA	SEACOM	Y	2	FAIL	NA	FAIL	NA
177	74323	133096	14EL0046	LEON ROHIT VAZ	AMET	Y	4	PASS	NA	PP	NA
178	79348	125341	13EL0691	MADHURIMA SINGH	MERI	Y	5	PP	PP	PP	PASS
179	79095	125232	13EL0154	MADVOLU JAGNNATH RAO	CMC	Y	7	PASS	PP	PP	PP
180	78566	124992	10EL2958	MAINAK BHATTACHARYA	IMA	YES	NIL	NA	FAIL	FAIL	NA

रूप मुख्य सर्वेक्षक (परीक्षा)
 Dy. CHIEF SURVEYOR (EXAM)
 DY. CHIEF SURVEYOR

कोलकाता
 Kolkata

S. Sanyal
 EXAMINER OF ENGINEERS
 DATE 14 SEP 2016

इजीनियरिंग में मुख्य परीक्षक
 Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL.NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
181	73491	124514	11EL2134	MAKUPALLI VIJAY KUMAR	DRBRAIT	Y	2	PASS	FAIL	PP	NA
182	73615	117783	10EL0321	MALARMANNAN DEVARAJ	RLINS	YES	NIL	NA	PP	FAIL	FAIL
183	77161	124753	12EL0143	MANAS DUTTA	DRBRAIT	Y	1	FAIL	FAIL	PASS	FAIL
184	79320	125286	13EL0693	MANISH BHANDARI	MER(KOL)	Y	3	PP	PP	PP	PASS
185	73831	120087	11EL2101	MANISH KUMAR SINGH	IMI	Y	7	PASS	PP	PP	PP
186	78319	125398	10EL3847	MANISH VERMA	TOLANI	Y	2	PP	PASS	PP	PP
187	78881	129681	12EL0902	MANOJ KUMAR CHAUDHARY	MERI	YES	NIL	FAIL	FAIL	NA	NA
188	78288	125497	10EL0166	MANU VIKRAMAN NAIR .SREEDEVI	IMA	Y	2	NA	FAIL	NA	FAIL
189	79383	125265	12EL0903	MAYANK MISHRA	MERI	Y	5	PP	PP	PP	PASS
190	78228	125432	13EL0698	MD.ALI	MERI	Y	4	PP	PASS	PP	FAIL
191	77636	125207	13EL1670	MOHAMMAD ALMAS QUASIM	GRSE	Y	7	PP	PASS	PP	PP
192	77666	124752	11EL0718	MOHAMMAD ELIYAS ALAM	AMET	Y	3	PASS	NA	PP	NA
193	72062	129519	12EL0707	MOHD.KAFEEL	IMU	Y	3	PP	FAIL	NA	PASS
194	70007	131836	10EL1494	MRINMOY KUILA	MANET	Y	3	PASS	NA	PP	PP
195	78339	125354	14EL0132	MUKESH KUMAR	IMI	Y	5	PASS	PP	NA	PP
196	80236	126047	10NL3013	N.K.CHANDRASEKAR	SAMS	Y	2	NA	FAIL	PASS	NA
197	73851	120028	10EL1804	NAJIM MONDAL	ITME	Y	6	PASS	PP	PP	PP
198	78383	129638	10EL3542	NAMAN BAJPAI	TOLANI	Y	2	NA	FAIL	PASS	NA
199	78416	129639	12EL0907	NARAYAN SINGH	MERI	Y	2	NA	PP	PASS	PP
200	78522	124926	12EL0908	NARENDRA KUMAR GUPTA	IMU	Y	2	PP	NA	FAIL	NA

उप मुख्य सर्वेक्षक (परीक्षा)
 Dy. CHIEF SURVEYOR (EXAM)
 DY. CHIEF SURVEYOR

कोलकाता
 Kolkata

S. L. Laha
 EXAMINER OF ENGINEERS
 DATE 14 SEP 2016

इजीनियरी के मुख्य परीक्षक
 Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD,KOLKATA

SL.NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
201	78343	125364	13EL0679	NAVIN KUMAR	MERI	Y	2	PP	PASS	PP	PP
202	78236	125406	13EL0680	NAVJEET RANA	MERI	Y	4	PP	PP	PP	PASS
203	78477	125473	14EL0417	NEERAJ KUMAR	METI	Y	3	NA	PASS	PASS	PP
204	78206	125421	13EL0689	NIKHIL KUMAR	MERI	Y	3	PP	PASS	PP	NA
205	78324	125300	13EL0688	NIKHIL KUMAR	MERI	Y	4	PP	PP	PP	PASS
206	73189	119551	11EL2766	NIRAJ KESHRI	CVRCE	Y	3	NA	NA	PASS	FAIL
207	78085	125275	12EL0914	NIRAJ KUMAR NISCHAL	MERI	Y	6	PP	PASS	PP	PP
208	73849	120060	10EL3198	NIRMAL JYOTI MAHATO	SEACOM	Y	4	PP	NA	PASS	PP
209	78247	125433	14EL0401	NISHANT CHATUEVEDI	METI	Y	2	PP	FAIL	PASS	NA
210	56064	0611/KOL/012	10EL1251/FEB/1576	NISHANT CHOUDHARY	GRSE	Y	19	FAIL***	PP	FAIL***	PP
211	78470	125472	08EL2406	NISHANT GOYAL	VELS	Y	2	PP	PP	PASS	NA
212	7884	129683	14EL0135	NITESH DAHIYA	IMI	YES	NIL	NA	FAIL	PASS	NA
213	78459	125487	14EL0460	NITIN KUNWAR	METI	Y	3	FAIL	NA	PASS	PP
214	77748	124785	12EL1548	NITISH KUMAR	SEACOM	Y	4	NA	PASS	PP	NA
215	78331	125407	14EL0395	PARDEEP KUMAR	METI	Y	3	PP	PP	PASS	NA
216	78366	128657	13EL1630	PARITOSH KUMAR SINGH	GEIMS	YES	NIL	NA	FAIL	FAIL	FAIL
217	78869	129721	12EL1553	PALAS DAS	SEACOM	YES	NIL	FAIL	NA	FAIL	NA
218	78258	125365	13EL0517	PAWANESH KUMAR	MER(KOL)	Y	2	PP	PP	PP	FAIL
219	78230	125431	14EL0410	PRABHAT CHANDRA BAJPAI	METI	Y	4	FAIL	NA	PASS	NA
220	79360	125262	11EL3530	PRADEEP KUMAR	IMI	Y	6	PP	PASS	NA	NA

उप मुख्य सर्वेक्षक (परीक्षा)
JY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कॉलकाता
Kolkata

EXAMINER OF ENGINEERS

DATE: 14 SEP 2016

इजीनियर्स - मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

SL NO	Applicatio n No.	EXN-45 No.	e-Pariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
221	78479	125482	14EL1152	PRADEEP KUMAR	MERI	Y	3	NA	FAIL	PASS	NA
222	73808	120020	10EL1770	PRADIP JANA	ITME	Y	3	PASS	NA	NA	NA
223	58887	119355	09EL4971	PRAMOD KUMAR SAMAL	CVRCE	Y	4	PP	PASS	PP	PP
224	64391	120809	11EL4445	PRATAP KUMAR JENA	CVRCE	Y	6	PASS	NA	PP	PP
225	78474	125479	10EL3454	PRAVEEN YADAV	TMI	Y	1	FAIL	FAIL	PASS	NA
226	79049	125217	12EL0929	PREM KANT	MERI	Y	8	PP	PASS	PP	PP
227	78248	125438	14EL0440	PREMANSHU SHUKLA	METI	Y	2	PASS	PP	PP	NA
228	59903	120834	09EL4616	PRINCE	SAMS	Y	5	PP	NA	FAIL	FAIL
229	78273	129602	12EL0931	PRINCE KUMAR	MERI	Y	3	FAIL	NA	PP	PP
230	78387	129633	13EL0522	PRINCE KUMAR	MERI	Y	2	PP	FAIL	PP	FAIL
231	125403	125403	13EL0531	PRITAM MISHRA	MERI	Y	2	PP	FAIL	NA	FAIL
232	73037	119969	12EL0719	PRODIP CHATTERJEE	GRSE	Y	7	NA	PP	PP	PASS
233	78806	129722	10EL2859	PRONoy HALDER	IMA	YES	NIL	NA	FAIL	FAIL	NA
234	73840	120033	10EL1740	PRONoy ROY	ITME	Y	3	FAIL	NA	NA	PP
235	79293	125361	13EL0532	PUJA KUMARI	MERI	Y	5	PP	PASS	PP	PP
236	79094	125256	12EL2612	PUNEET ATWAL	IMI	Y	6	PP	PASS	PP	PP
237	79346	125299	13EL0534	PUSHPENDRA SINGH BHATI	IMU(KOL)	Y	4	PP	PASS	PP	PP
238	78362	129658	12EL0933	RACHIT DWIVEDI	IMU	Y	2	PASS	PP	PP	NA
239	79267	125419	13EL0536	RAHUL KUMAR	MERI	Y	4	NA	PP	PP	PASS
240	78469	129640	12EL0945	RAHUL KUMAR	MERI	Y	2	PP	PASS	NA	PP

अध्यक्ष सर्वेक्षक (परीक्षा)
 Dy. CHIEF SURVEYOR (EXAMS)
 DY. CHIEF SURVEYOR

कालकाता
 Kolkata

EXAMINER OF ENGINEERS
 DATE 14 SEP 2016

इंजीनियरों के मुख्य परीक्षक
 Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
241	59539	120883	10EL2547	RAHUL KUMAR	GRSE	Y	17	FAIL	PP	PP	PP
242	79283	125320	12EL0948	RAHUL KUMAR SINGH	MERI	Y	5	PP	PASS	PP	PP
243	78370	129650	11EL3610	RAHUL MISHRA	MERI	Y	2	NA	FAIL	PASS	NA
244	79377	125261	11EL3534	RAHUL SHARMA	IMI	Y	5	PP	NA	NA	PASS
245	78478	125483	14EL0420	RAJ ADITYA	METI	Y	3	FAIL	PP	PP	PP
246	78345	125362	11EL1523	RAJ KAMAL CHOUDHARY	ITME	Y	3	NA	NA	NA	FAIL
247	73033	119597	12EL0715	RAJ KISHORE PRADHAN	GRSE	Y	7	NA	FAIL	PP	FAIL
248	78557	125053	12EL1129	RAJ KUMAR KISPATTA	MERI (MUMBAI)	Y	9	NA	FAIL	NA	NA
249	78521	124925	12EL0951	RAJ MANGAL SINGH	IMU	Y	2	PP	NA	PASS	NA
250	77682	124778	11EL1528	RAJANI KANT SHAW	NITMS	Y	2	FAIL	NA	NA	PP
251	69814	125198	13EL0033	RAJASEKHAR PUKKALLA	GREAT EASTERN	Y	8	NA	PASS	PP	NA
252	78345	125362	13EL0540	RAJNISH KUMAR	MERI	Y	4	PP	FAIL	PASS	NA
253	79299	125383	10EL3525	RAJPREET SINGH	TOLANI	Y	3	PP	PP	PASS	PP
254	79098	125422	10EL3100	RAKESH KUMAR SINGH	NIU	Y	3	NA	FAIL	PASS	NA
255	73801	125235	10EL1781	RAKESH KUMAR GUPTA	NITMS	Y	1	FAIL***	NA	NA	NA
256	78224	125439	11EL3035	RAMESH ABHISHEK	MERI	Y	4	PASS	PP	PP	PP
257	73752	119674	11EL2135	RAMESH KUMAR MAHATO	DRBRAIT	YES	NIL	FAIL	NA	PASS	FAIL
258	78325	125368	13EL0544	RANJAN KUMAR CHOUDHARY	MERI(KOL)	Y	4	PP	FAIL	PP	PP
259	73494	124501	11EL2136	RATISHWAR LALL	DR.BR.AIT	Y	3	PP	PP	PP	FAIL
260	78483	129619	14EL0441	RAUNAK KUMAR	METI	Y	1	FAIL	NA	FAIL	NA

उप मुख्य सर्वेक्षक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कोलकाता
Kolkata

S. Sanyal
EXAMINER OF ENGINEERS
DATE 14 SEP 2016

इजीनियरिंग प्रमुख परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL.NO	Applicatio n No.	EXN-45 No.	ePeritsha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
261	72174	132303	10EL2605	RAVI JOSHI	KMSME	Y	6	PASS	PP	NA	PP
262	78582	125079	12EL0938	RAVI KANT CHAUBEY	MERI	Y	8	PASS	PP	PP	PP
263	78351	129649	11EL1553	RAVI KUMAR SINGH	NITMS	Y	1	NA	PASS	NA	FAIL
264	73117	119514	11EL0794/SEP/1888	RAVI RANJAN	MERI	Y	17	FAIL	PP	NA	PP
265	78297	125395	13EL0498	RAVI RANJAN KUMAR	MERI	Y	3	PP	PASS	PP	NA
266	56158	120195	08EL1584/FEB/1628	RAVI SANKAR GOSWAMI	CSSM	Y	10	FAIL	FAIL	NA	PASS
267	79370	125278	13EL0567	REWATI RAMAN	MER(KOL)	Y	3	PP	PASS	PP	PP
268	78353	129644	13EL0568	RISHABH YADAV	MERI	Y	2	PP	PP	FAIL	PASS
269	77487	124551	10EL1752	RISHIKESH KUMAR	ITME	YES	NIL	NA	FAIL	PASS	NA
270	71671	129172	12EL0282/JUL/1818	RITESH	METI	Y	15	PASS	PP	PP	PP
271	78473	125470	12EL2629	RITESH THAKUR	IMI	Y	3	FAIL	PP	NA	PP
272	78865	129707	11EL1258	ROBANDEEP SINGH	RLINS	YES	NIL	FAIL	NA	PASS	NA
273	N	120623	11EL4533	ROBINPREET SINGH SIDHU	IMI	Y	4	PASS	NA	PP	FAIL
274	78877	129712	11EL3536	ROHAN BAHL	IMI	YES	NIL	FAIL	NA	NA	FAIL
275	78278	125373	13EL0570	ROHAN KALANTRE	MERI	Y	1	FAIL	NA	PASS	NA
276	78043	121492	13EL0280	ROHAN ROY	GRSE	Y	7	NA	FAIL	PP	FAIL
277	78393	129693	14EL1027	ROHIT KUMAR	IMI	YES	NIL	NA	FAIL	PASS	NA
278	78986	125186	13EL1148	ROHIT SEHGAL	CMC	Y	8	PP	PASS	PP	PP
279	78475	129605	13EL1141	ROHIT SINGH	CMC	Y	3	PASS	NA	NA	FAIL
280	77582	124558	11EL1572	ROUDRA NARAYAN PATRA	NITMS	YES	NIL	FAIL	NA	FAIL	NA

उप मुख्य सर्वेक्षक (परीक्षा)
JY. CHIEF SURVEYOR (EXAM)
 DY. CHIEF SURVEYOR

कोलकाता
 Kolkata

S. Sanyal
 EXAMINER OF ENGINEERS
 DATE **14 SEP 2016**

इजीनियरिंग - मुख्य परीक्षक
Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD,KOLKATA

SL.NO	Applicatio n No.	EXM-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
281	78342	125353	13EL0572	RUPESH KUMAR	MERI	Y	5	NA	PASS	FAIL	NA
282	78287	125475	10EL0183	S.RAGUL VISWANATH	IMA	Y	4	NA	FAIL	PP	PASS
283	73871	120022	10EL1805	SADDAM HUSSAIN	ITME(KOL)	Y	5	FAIL	NA	PP	PP
284	79318	125307	13EL0579	SADDAM HUSSAIN	MERI	Y	5	PP	PP	PP	PASS
285	78282	129604	14EL0136	SAHIL CHANDEL	IMI	Y	3	FAIL	NA	NA	FAIL
286	79327	125292	13EL0581	SAMARTH JAISWAL	MER(KOL)	Y	4	PP	PASS	PP	PP
287	79108	124810	12EL1539	SAMIR KUSHWAHA	SEACOM	Y	1	PP	PASS	PASS	NA
288	77597	124957	13EL1153	SAMPATIRAO YOGESH	METI	Y	4	PASS	PP	PP	PP
289	78987	125243	10EL3624	SAMRAT KUNDU	TOLANI	Y	7	PP	PP	PP	PASS
290	73222	119563	12EL0728	SANDEEP	IMI	Y	11	PASS	PP	NA	PP
291	79080	125386	13EL1140	SANDEEP DAS	CMC	Y	5	NA	FAIL	NA	FAIL
292	84111	120319	09SL0614	SANDEEP KUMAR	GRSE	Y	2	PASS	PP	PP	NA
293	78985	125187	13EL0156	SANJAY KUMAR	CMC	Y	7	PP	PP	PP	PASS
294	79301	125315	12EL2619	SANJEEV	T.S.RAHAMAN	Y	3	NA	FAIL	NA	PP
295	78246	125394	12EL0859	SANJEEV KUMAR	MERI	Y	4	NA	NA	PP	PASS
296	53404	115626	10EL1122	SANMUGAM ELUMALAI	SAMS	Y	2	FAIL	NA	FAIL	NA
297	78461	125474	10EL0151	SARANG .PAVITHRANAND	IMA	Y	3	NA	FAIL	PP	FAIL
298	78827	129681	09EL3978	SARAVANAN BOSE	SAMS	YES	NIL	FAIL	NA	FAIL	NA
299	78860	129719	10EL3006	SATHEESH KUMAR ARUMUGAM	IMA	YES	NIL	FAIL	NA	PASS	NA
300	78285	129606	14EL0059	SATISH KUMAR CHENNU	AMET	Y	3	NA	FAIL	NA	PASS

उप मुख्य सचिव (परीक्षा)
 Dy. CHIEF SURVEYOR (EXAM)
 Dy. CHIEF SURVEYOR

कोलकाता
 Kolkata

S. Sanyal
 EXAMINER OF ENGINEERS
 DATE 14 SEP 2016

इंजीनियरी में मुख्य परीक्षक
 Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL NO	Application No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
301	78253	125482	13EL0584	SATISH NAYARAYAN CHAUDHARY	MERI	Y	3	PP	PASS	PP	FAIL
302	78341	125411	13EL0499	SATYADHARMA	MERI	Y	4	PP	PP	PP	PASS
303	77471	124713	12EL1545	SAUMEN DAS	SEACOM	Y	2	FAIL	NA	FAIL	NA
304	79274	125339	13EL0559	SAURABH GUPTA	IMU(KOL)	Y	5	PP	PASS	PP	NA
305	78254	125485	13EL0712	SAURABH GUPTA	GEIMS	Y	3	PP	PASS	PP	PP
306	78295	125424	13EL0585	SAURABH UPADHYAY	MERI	Y	2	PASS	FAIL	NA	NA
307	73847	120058	10EL3203	SAYAN DAS BAIRAGYA	SEACOM	Y	6	FAIL***	NA	NA	NA
308	79389	124554	11EL1537	SAYAN SANYAL	NITMS	Y	4	PP	PASS	PP	PP
309	78333	125360	13EL0586	SHAIENDRA SINGH	MERI	Y	4	PP	PP	PASS	FAIL
310	38864	122946	07EL1611	SHAIENDRA KUMAR	CMC	Y	6	NA	FAIL	PP	FAIL
311	63912	120490	11EL2981	SHAIENDRA KUMAR DWIVEDI	GRSE	Y	7	NA	FAIL	PP	FAIL
312	78360	129652	13EL0599	SHANU KUMAR	MERI	Y	1	NA	FAIL	NA	FAIL
313	79286	129647	13EL0600	SHARAD JOSHI	MERI	Y	2	PASS	NA	FAIL	FAIL
314	79307	125279	11EL1542	SHASHANK SHEKHER	NITMS	Y	5	PP	PASS	PP	PP
315	78358	129632	14EL0354	SHASHANK SHUKLA	CMC	Y	2	NA	FAIL	FAIL	NA
316	79279	125379	13EL0601	SHASHANK SINGH	MERI(KOL)	Y	5	PP	PASS	PP	FAIL
317	76	117336	12EL2667	SHAIKH MOHAMMAD ABDUL ASIF	AMET	Y	7	FAIL	FAIL	PP	FAIL
318	78876	129689	11EL3622	SHASHI KUMAR	MERI	YES	NIL	FAIL	FAIL	NA	FAIL
319	78887	129684	13EL2296	SHIV SHANKAR GUPTA	VMI	YES	NIL	NA	FAIL	NA	FAIL
320	79341	125385	13EL0604	SHIVAM AGARWAL	MERI KOLKATA	Y	5	PP	PASS	PP	PP

उप मुख्य संचालक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
M. CHIEF SURVEYOR (EXAM)


कलकत्ता
Kolkata

S. Sanyal
EXAMINER OF ENGINEERS
DATE: 14 SEP 2016


इजीनियरिंग परीक्षा
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL.NO	Application No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
321	78868	129720	13EL0309	SHIVENDRA KUMAR YADAV	MERI	YES	NIL	FAIL	NA	FAIL	NA
322	77001	119673	11EL4545	SHIVROY JAIN	IMI	Y	7	PP	PP	PP	PASS
323	78337	125426	13EL0500	SHIVSHANKAR KUMAR	MERI	Y	3	PP	FAIL	PP	NA
324	77482	124586	12EL1548	SHREEKANT KUMAR	SEACOM	Y	1	PASS	FAIL	NA	NA
325	74395	133142	14EL0063	SHREYANS NAVINKUMAR BAKHDA	AMET	Y	4	PP	PASS	PP	NA
326	78395	125249	14EL0129	SHUBHAM DWIVEDI	IMI	Y	7	NA	FAIL	PP	NA
327	78337	125332	13EL0557	SHUBHAM GOYAL	MERI	Y	5	PP	PP	PP	PASS
328	78366	125274	13EL0310	SHUBHAM RATURI	MERI	Y	6	PASS	NA	FAIL	PP
329	78305	125347	13EL0564	SHUBHASHISH BANERJEE	MERI(KOL)	Y	4	PP	PASS	PP	PP
330	78482	125484	11EL1282	SIBA NARAYAN PUROHIT	RLINS	Y	3	PP	PASS	PP	NA
331	78465	125490	14EL0557	SIMRAN SINGH	METI	Y	2	FAIL	PP	PP	NA
332	78303	125345	13EL0614	SONU KUMAR	MERI	Y	5	PP	PASS	PP	NA
333	73806	120017	10EL1798	SOU MEN MISTRI	ITME	Y	3	PP	FAIL	FAIL	NA
334	64424	120524	11EL4386	SOUMYA BAIRAGI	SIMS	Y	9	FAIL	FAIL	PASS	PP
335	73897	119980	10EL2897	SOURABH SHANKAR YAGNIK	SEACOM	Y	1	NA	FAIL	PASS	FAIL
336	73825	120083	10EL1776	SOURADEEP DAS	NITMS	Y	3	PASS	NA	NA	NA
337	78686	120054	10EL0297	SOURAV BANIK	RLINS	Y	9	NA	FAIL	PP	PP
338	78321	125456	13EL0616	SOURAV KUMAR	MERI	Y	3	PP	PP	PP	PASS
339	77440	124565	11EL1563	SOURAV MITRA	NITMS	Y	2	PP	PASS	PASS	NA
340	77724	124816	12EL1557	SRAVAN KUMAR	SEACOM	Y	1	FAIL	NA	PASS	NA



 Dy. Chief Surveyor (General)
 DY. CHIEF SURVEYOR

কলকাতা
 Kolkata



 EXAMINER OF ENGINEERS
 DATE 14 SEP 2016



 Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

SL NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed If any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
341	78234	125463	09EL5042	SUBHADIP SARKAR	TOLANI	Y	4	PP	PASS	PP	PP
342	78240	125408	13EL0617	SUDARSHAN SUNDARAM	MERI	Y	4	PP	PASS	PP	PASS
343	78520	124927	12EL0986	SUDHIR KUMAR	IMU	Y	4	NA	FAIL	PP	PP
344	73310	119609	10EL2907	SUJAY MAHATO	SEACOM	Y	2	NA	FAIL	NA	NA
345	73831	120065	10EL3193	SUMAN GHOSH	SEACOM	Y	4	NA	PP	FAIL	NA
346	78239	125452	13EL0619	SUMAN KUMAR	MERI	Y	3	PP	PASS	PP	PP
347	77455	124578	12EL1540	SUMANTA ROY	SEACOM	Y	2	PASS	NA	PP	NA
348	73353	119614	09EL4105	SUMANTRA CHAKRABORTY	CMC	Y	5	FAIL	NA	FAIL	NA
349	79306	125384	11EL1586	SUMIT KUMAR	NITMS	Y	1	NA	FAIL	PP	FAIL
350	78282	129608	12EL2621	SUNNY MURTAZA	RAMAN	Y	3	NA	NA	FAIL	NA
351	121496	78101	09EL5047	SURAJ DEO KUMAR	TMI	Y	3	FAIL	NA	FAIL	NA
352	77407	124822	12EL1790	SURAJ PANDEY	SEACOM	Y	1	NA	FAIL	NA	PASS
353	73881	120062	10EL3205	SURAJ PRATAP SINGH	SEACOM	Y	4	FAIL	NA	FAIL	NA
354	77482	124579	12EL1543	SURAJIT MANDAL	SEACOM	YES	NIL	FAIL	NA	FAIL	NA
355	78904	129705	10EL3012	SURENDRA KUMAR SINGH	IMA	YES	NIL	NA	FAIL	NA	FAIL
356	78238	125444	13EL0621	SURESH MEENA	MERI	Y	4	PP	NA	PASS	FAIL
357	79282	125352	12EL0980	SURYA PRAKASH SAINI	MERI	Y	4	PP	PP	PP	PASS
358	73738	125165	12EL1834	SUSANKALAN ROY	GRSE	Y	6	NA	FAIL	PP	FAIL
359	78882	129725	11EL3081	SUYASH	MERI	YES	NIL	NA	NA	FAIL***	FAIL***
360	65953	115148	10EL1161	SWAMINATHAN SENTHIL KUMAR	CIMT	Y	7	PP	PP	FAIL	PP


 Dy. CHIEF SURVEYOR (EXAM)
 Dy. CHIEF SURVEYOR

কলকাতা
 Kolkata


 EXAMINER OF ENGINEERS
 DATE 14 SEP 2016


 Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD,KOLKATA

SL.NO	Applicatio n No.	EXN-45 No.	ePeriksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
361	78983	125185	12EL0992	SWAYAMSIDDHA MAJHI	MERI	Y	6	PP	PP	PP	PASS
362	78356	129841	10EL0158	TAMIL SELVAM.J	IMA	Y	1	PASS	PP	FAIL	PP
363	77699	124747	13EL0498	TUSHAR VASHISTHA	IMI	Y	3	NA	FAIL	PP	PP
364	71304	117070	11EL0884	UDHAYA KUMAR PARAMASIVAM	AMET	Y	8	PP	PP	PP	PASS
365	77640	124765	13EL1684	UDIPTA SARKAR	GRSE	YES	NIL	FAIL	FAIL	FAIL	FAIL
366	78905	129724	10EL2952	UMESH PRATAP SINGH	IMAC	YES	NIL	NA	FAIL	FAIL	NA
367	78037	121457	09EL2770	VAIBHAV KUMAR PANDEY	IMU	Y	4	PP	PASS	NA	NA
368	53990	116692	09EL4839	VALLIAPPAN	DR.BR.AIT	YES	NIL	FAIL	NA	NA	FAIL
369	80048	117855	10EL0160	VENKATESH ARJUNAN	IMA	Y	4	PP	PP	PP	PASS
370	79349	125359	13EL0627	VICKY KUMAR	MERI	Y	2	PASS	PP	PP	PP
371	78886	129709	11EL0737	VIDYADHARAN PUSHPALATHA AJAY KRISHNA	AMET	YES	NIL	PASS	NA	FAIL	NA
372	73041	119800	12EL0723	VIKAS	GRSE	Y	2	PASS	NA	PP	NA
373	78888	129682	13EL2293	VIKAS DEEP SINGH	VMI	YES	NIL	NA	FAIL	FAIL	FAIL
374	70709	132489	10EL3286	VIKAS MANOJKUMAR MISHRA	MANET	Y	4	PP	PP	PASS	PP
375	78237	125434	13EL0642	VIKAS SHARMA	MERI	Y	4	PP	PP	PASS	PP
376	77617	124733	13EL1681	VIKASH SINGH KUSHWAHA	GRSE	Y	1	NA	FAIL	NA	PASS
377	78215	125416	13EL0644	VIKASH KUMAR	MERI	Y	3	NA	PASS	PP	FAIL
378	71944	129430	10EL2222	VIKASH KUMAR	marine eng.	Y	1	NA	FAIL	FAIL	NA
379	79275	125329	13EL0643	VIKASH KUMAR	MERI	Y	3	PP	PP	PP	PASS
380	78471	125471	12EL2835	VIKRAM SINGH RATHORE	IMI	Y	3	PP	NA	PP	PASS

f उप मुख्य सर्वेक्षक (परीक्षा)
BY. CHIEF SURVEYOR (EXAMS)
 DY. CHIEF SURVEYOR

कोलकाता
 Kolkata

S. Sanyal
 EXAMINER OF ENGINEERS
 DATE: 14 SEP 2016

इंजीनियरिंग परीक्षक
Chief Examiner of Engineers
 CHIEF EXAMINER OF ENGINEERS

MMD, KOLKATA

SL NO	Applicatio n No.	EXN-45 No.	ePariksha ID	Name of the Candidates.	NAME OF PRE INST.	Previous Exam Passed if any	No. of Previous Attempts	CLASS IV(B) ORALS			
								function - 3	function-4	function-5	function-6
381	78483	129618	12EL1000	VINOD KUMAR	MERI	Y	2	NA	NA	PASS	FAIL
382	78480	125486	11EL1285	VIPIN MISHRA	RLINS	Y	3	NA	PP	FAIL	PA
383	54002	116693	09EL4841	VISHAL RAVI	DR.BR.AIT	YES	NIL	FAIL	FAIL	FAIL	FAIL
384	78980	125176	13EL0316	VISHAL SINGH SOAM	MERI	Y	8	PASS	PP	PP	PP
385	79396	125238	11EL2110	VISHAL TIWARI	IMI	Y	7	FAIL	NA	PP	PP
386	78258	125447	14EL0133	VISHAL VERMA	IMI	Y	4	FAIL	NA	NA	FAIL
387	78769	125040	12EL1002	VISHEK RISHI	MERI	Y	2	PP	NA	PASS	NA
388	79265	125310	11EL3542	VIVEK CHOUDHARY	IMI	Y	5	PP	PP	PP	PASS
389	78411	129855	13EL0663	VIVEK KUMAR SINGH	MERI	Y	2	NA	FAIL	PASS	NA
390	78879	129711	11EL3544	VIVEK RUHELA	IMI	YES	NIL	FAIL	NA	NA	FAIL
391	78207	125418	13EL0665	YASHWANT PATEL	MERI	Y	2	PP	PP	PP	PASS
392	78326	125440	13EL0558	YATISH AGARWAL	MERI	Y	3	PASS	PP	PP	PP
393	71670	129171	12EL0281/JUN/1750	YOGESH MEHTA	METI	Y	13	NA	PP	PASS	PP

I HEREBY CERTIFY THAT THE ABOVE IS A TRUE ACCOUNT OF THE EXAMINATION OF THE ABOVE NAMED CANDIDATES AND THAT THEY HAVE PRODUCED SATISFACTORY TESTIMONIALS AND PROOF OF THE NATIONALITY AND OF SERVICE.

NA-MEANS CANDIDATES NEITHER APPEARED NOR PASSED IN THE SUBJECT.

FAIL***- MEANS FAIL DUE TO ABSENCE.

PP-MEANS PREVIOUSLY PASSED.

MERI-MARINE ENGINEERING RESEARCH INSTITUTE.

SAMS-SOUTHERN ACADEMY OF MARITIME STUDIES(T.N)

TMI/TOLANI-TOLANI MARITIME INSTITUTE

GEIMS-GREAT EASTERN INSTITUTE OF MARITIME STUDIES

GRSE-GARDEN REACH SHIP BUILDERS & ENGINEERS(KOLKATA)

f-37 मुख्य सहायक (परीक्षा)
DY. CHIEF SURVEYOR (EXAM)
DY. CHIEF SURVEYOR

कांनकात
Kolkata

S. Dasgupta
EXAMINER OF ENGINEERS
DATE 14 SEP 2016

Signature
इंजीनियरों के मुख्य परीक्षक
Chief Examiner of Engineers
CHIEF EXAMINER OF ENGINEERS